

WRAP-ON®

Built on quality, expanding on innovation

11756 S. Austin Avenue, Alsip, IL 60803
Phone: 800-621-6947 / 708-496-2150
Fax: 800-558-6609
www.wrap-on.com



MADE IN U.S.A.



Welcome to the 2016 Wrap-On® product catalog.

I'm Phil Surma, the General Manager of the Wrap-On® company LLC. We have worked hard to develop this catalog of fine products that are made in the USA. We take great pride in manufacturing our heat tapes and cables in our Chicago area plant. Our skilled crew of craftsmen are dedicated to quality and on-time deliveries throughout the year. Our team is continuously looking for ways to improve our products and to make your interaction with us to be as smooth and easy as possible.

We welcome your ideas and suggestions for new products, current product improvements or the customer buying experience with Wrap-On®. Our goal is your complete satisfaction with our company! Whether that's our product performance, customer service assistance, service support or order tracking, we stand ready to meet your needs and answer any questions.

We have developed a great interactive website and I encourage you to review our "how to" videos and FAQ's. We post new information on product releases, updated FAQ's, and the trade shows we are attending...we hope you will stop in and talk to us.

So, please visit our website and see what we are up to. If you need more information, or have any questions, please just call or email us and someone will respond within one business day.

All the best

Phil Surma

Table of Contents



About Wrap-On® 2

Pipe Heating Cables..... 3

Roof & Gutter De-Icing Cables (Gray) 4

Roof & Gutter De-Icing Cables (Black)..... 5

Roof & Gutter De-Icing Cables (Color) 6

Gro-Quick® Cables 7

Fiberglass 8

Fiberglass 9

Odors Away® 10

Accessories 11

Roof Clips..... 12

Originally founded under the name “Poultry Equipment Engineers,” our company was established in the 1940’s as a manufacturer of electric warming products for agriculture.

Improved technology, manufacturing techniques, and research applied to the company’s products led to the emergence of the “Wrap-On®” name and patents.

Wrap-On® patented the first pipe “wrap” heating cable in the early 1970’s. Roof & Gutter cable products were developed next, with pipe insulation products a logical next step. Wrap-On® continued to innovate with the development of additional new products as diverse as Gro-Quick® soil warming cable and Odors Away®, an odor eliminator.

Original Facility, Chicago - 1940’s to 1970’s



Bedford Park, IL - 1980’s to 2014



Alsip, IL - 2015



Pipe Heating Cables



Pipe Heating Cables

- Prevents frozen water pipes to -50°F
- Built in thermostat activates cable at 38°F ambient temperature
- Easy installation with spiral wrapped heating cable
- Energy efficient—lower wattage provides 70% less energy use
- Engineered for use directly on metal & plastic pipes
- Press to Test® button—test the cable before installation
- Consumer Friendly—color coded sizing system simplify customers choice



ITEM NO.	DESCRIPTION	UPC CODE	UNITS PER STD CTN	WT PER STD CTN
UL LISTED PIPE HEATING CABLE /W THERMOSTAT AND POWER SENSOR LIGHT 120VAC				
31003	3' Heat Cable 6 Watts	0 37841 31003 6	6	3.30
31006	6' Heat Cable 12 Watts	0 37841 31006 7	6	4.14
31009	9' Heat Cable 18 Watts	0 37841 31009 8	6	5.01
31013	13' Heat Cable 26 Watts	0 37841 31013 5	6	6.79
31015	15' Heat Cable 30 Watts	0 37841 31015 9	6	7.94
31018	18' Heat Cable 36 Watts	0 37841 31018 0	6	8.19
31024	24' Heat Cable 48 Watts	0 37841 31024 1	6	9.96
31030	30' Heat Cable 60 Watts	0 37841 31030 2	6	11.65
UL LISTED PIPE HEATING CABLE /W THERMOSTAT AND POWER SENSOR LIGHT 120VAC				
31045	45' Heat Cable 90 Watts	0 37841 31045 6	1	2.92
31060	60' Heat Cable 120 Watts	0 37841 31060 9	1	3.48
31080	80' Heat Cable 160 Watts	0 37841 31080 7	1	4.26
31100	100' Heat Cable 200 Watts	0 37841 31100 2	1	5.23

WRAP-ON STRAPS® The perfect alternative to electrical tape – see page 11				
ITEM NO.	DESCRIPTION	UPC CODE	UNITS PER STD CTN	WT PER STD CTN
38015	Wrap-On Straps® 15 per Pkg	0 37841 38015 2	24	4.3
38030	Wrap-On Straps® 30 per Pkg	0 37841 38030 5	24	4.3

1. Determine the length of your pipe.
2. Match the information on the chart below.
3. Select the color-coded Wrap-On® cable that matches the chart.

Please see packaging for additional sizing information

PIPE DIAMETER/TYPE	PIPE LENGTH							
½" Copper	2'-2.9'	3'-5.9'	6'-7.9'	8'-11.4'	11.5'-13.4'	13.5'-15.9'	16'-21.9'	22'-27'
¾" Copper or ½" Plastic	2'-2.9'	3'-4.9'	5'-7.9'	8'-10.4'	10.5'-12.4'	12.5'-15.9'	16'-20.4'	20.5'-26'
1" Copper or ¾" Plastic	2'-2.9'	3'-4.9'	5'-7.9'	8'-9.9'	10'-11.9'	12'-14.9'	15'-18.9'	19'-22'
Wrap-On® Product #/Color	31003	31006	31009	31012	31015	31018	31024	31030
	Dark Green	Blue	Violet	Yellow	Beige	Red	Green	Orange

Roof & Gutter De-Icing Cables



Roof & Gutter Cables - Gray



Wrap-On® was granted the industry's first UL listing for Roof and Gutter De-icing Cables for Shingled, Tiled or Metal roofing.

- Prevents water and ice damage by providing a clear path for melting water
- Proudly manufactured in U.S.A.
- Easy to install, approved for metal and plastic gutters
- Adapts to most roof and gutter configurations
- Versatile sizes and colors
 - Lengths range from 20 ft. to 250 ft.
 - Two Standard color options: gray or black
- Dual merchandising options with clamshell kickstand packaging (free standing and peggable)

ITEM NO.	DESCRIPTION			UPC CODE	UNITS PER STD CTN	WT PER STD CTN
ROOF & GUTTER CABLES - GRAY						
14020	20' Roof & Gutter Cable - Gray	100 Watts	0.83 AMPS	0 37841 14020 6	6	9.64
14040	40' Roof & Gutter Cable - Gray	200 Watts	1.67 AMPS	0 37841 14040 4	6	14.30
14060	60' Roof & Gutter Cable - Gray	300 Watts	2.50 AMPS	0 37841 14060 2	6	21.24
14080	80' Roof & Gutter Cable - Gray	400 Watts	3.33 AMPS	0 37841 14080 0	6	26.05
14100	100' Roof & Gutter Cable - Gray	500 Watts	4.17 AMPS	0 37841 14100 5	3	16.49
14120	120' Roof & Gutter Cable - Gray	600 Watts	5.00 AMPS	0 37841 14120 3	3	18.42
14140	140' Roof & Gutter Cable - Gray	700 Watts	5.83 AMPS	0 37841 14140 1	1	7.49
14175	175' Roof & Gutter Cable - Gray	875 Watts	7.30 AMPS	0 37841 14175 3	1	9.38
14200	200' Roof & Gutter Cable - Gray	1000 Watts	8.33 AMPS	0 37841 14200 2	1	11.20
14250	250' Roof & Gutter Cable - Gray	1200 Watts	10.00 AMPS	0 37841 14250 7	1	13.39



ITEM NO.	DESCRIPTION			UPC CODE	UNITS PER STD CTN	WT PER STD CTN
14600	Roof Sentry—Roof Cable Controller CSA Certified	1200 Watts	10 AMPS	0 37841 14600 0	1	1.46



Calculation Table

OVERHANG	FACTOR	OVERHANG
0"	1.5	0,0m
12"	2.3	0,3m
24"	3.2	0,6m
36"	4.2	0,9m
48"	5.1	1,2m

Roof & Gutter De-Icing Cables



Roof & Gutter Cables - Black



Wrap-On® was granted the industry's first UL listing for Roof and Gutter De-icing Cables for Shingled, Tiled or Metal roofing.

- Prevents water and ice damage by providing a clear path for melting water
- Proudly manufactured in U.S.A.
- Easy to install, approved for metal and plastic gutters
- Adapts to most roof and gutter configurations
- Versatile sizes and colors
 - Lengths range from 40 ft. to 250 ft.
 - Two Standard color options: gray or black
- Dual merchandising options with clamshell kickstand packaging (free standing and peggable)

ITEM NO.	DESCRIPTION			UPC CODE	UNITS PER STD CTN	WT PER STD CTN
ROOF & GUTTER CABLES - BLACK						
14041	40' Roof & Gutter Cable Black	200 Watts	1.67 AMPS	0 37841 14041 1	6	14.30
14061	60' Roof & Gutter Cable Black	300 Watts	2.50 AMPS	0 37841 14061 9	6	21.24
14081	80' Roof & Gutter Cable Black	400 Watts	3.33 AMPS	0 37841 14081 7	6	26.05
14101	100' Roof & Gutter Cable Black	500 Watts	4.17 AMPS	0 37841 14101 2	3	16.49
14121	120' Roof & Gutter Cable Black	600 Watts	5.00 AMPS	0 37841 14121 0	3	18.42
14141	140' Roof & Gutter Cable Black	700 Watts	5.83 AMPS	0 37841 14141 8	1	7.49
14161	160' Roof & Gutter Cable Black	800 Watts	7.02 AMPS	0 37841 14161 6	1	8.39
14176	175' Roof & Gutter Cable Black	875 Watts	7.30 AMPS	0 37841 14176 0	1	9.38
14201	200' Roof & Gutter Cable Black	1000 Watts	8.33 AMPS	0 37841 14201 9	1	11.20
14241	240' Roof & Gutter Cable Black	1160 Watts	9.85 AMPS	0 37841 14241 5	1	12.12
14251	250' Roof & Gutter Cable Black	1200 Watts	10.00 AMPS	0 37841 14251 4	1	13.39



ITEM NO.	DESCRIPTION			UPC CODE	UNITS PER STD CTN	WT PER STD CTN
14600	Roof Sentry—Roof Cable Controller CSA Certified	1200 Watts	10 AMPS	0 37841 14600 0	1	1.46



Calculation Table

OVERHANG	FACTOR	OVERHANG
0"	1.5	0,0m
12"	2.3	0,3m
24"	3.2	0,6m
36"	4.2	0,9m
48"	5.1	1,2m

Roof & Gutter De-Icing Cables



Roof & Gutter Cables - Colors

Wrap-On® was granted the industry's first UL listing for Roof and Gutter De-icing Cables for Shingled, Tiled or Metal roofing.



- Prevents water and ice damage by providing a clear path for melting water
- Proudly manufactured in U.S.A.
- Easy to install, approved for metal and plastic gutters
- Adapts to most roof and gutter configurations
- Custom sizes and colors available

- Custom roof cables and length to fit your customer's needs. Minimum Order quantities may apply.
- Please contact Wrap-On® sales at: 800-621-6947 / 708-496-2150 or visit our website at wrap-on.com

ITEM NO.	DESCRIPTION			UPC CODE	MINIMUM PER ORDER	WT PER STD CTN
CUSTOM COLORS -UL LISTED ROOF & GUTTER CABLES 120VAC						
14102	100' Roof & Gutter Cable - Brown	500 Watts	4.17 AMPS	0 37841 14102 9	Please Call	16.49
14103	100' Roof & Gutter Cable - Red	500 Watts	4.17 AMPS	0 37841 14103 6	Please Call	16.49
14104	100' Roof & Gutter Cable - Tan	500 Watts	4.17 AMPS	0 37841 14104 3	Please Call	16.49
14105	100' Roof & Gutter Cable - Green	500 Watts	4.17 AMPS	0 37841 14105 0	Please Call	16.49
14202	200' Roof & Gutter Cable - Brown	1000 Watts	8.33 AMPS	0 37841 14202 6	Please Call	11.20
14203	200' Roof & Gutter Cable - Red	1000 Watts	8.33 AMPS	0 37841 14203 3	Please Call	11.20
14204	200' Roof & Gutter Cable - Tan	1000 Watts	8.33 AMPS	0 37841 14204 0	Please Call	11.20
14205	200' Roof & Gutter Cable - Green	1000 Watts	8.33 AMPS	0 37841 14205 7	Please Call	11.20



ITEM NO.	DESCRIPTION			UPC CODE	UNITS PER STD CTN	WT PER STD CTN
14600	Roof Sentry—Roof Cable Controller CSA Certified	1200 Watts	10 AMPS	0 37841 14600 0	1	1.46



Calculation Table

OVERHANG	FACTOR	OVERHANG
0"	1.5	0,0m
12"	2.3	0,3m
24"	3.2	0,6m
36"	4.2	0,9m
48"	5.1	1,2m



Electric Soil Warming Cable


- Built in thermostat automatically activates when the soil temperature is below 74°F (N/A for Heavy Duty)
- Warms soil with bottom heat to help expedite seed germination
- Perfect alternative to heating mats for garden, beds, cold frames, containers and seed flats
- Gro-Quick® cables provide a flexible planting pattern, you're not confined to square or oblong patterns
- Moisture proof PVC jacket and sealed waterproof connections
- Energy savings – Heating only the soil not the whole room allows you to use indoors or outdoors
- Made In the U.S.A.



ITEM NO.	DESCRIPTION			UPC CODE	UNITS PER STD CTN	WT PER STD CTN
GRO-QUICK® SOIL WARMING CABLE - AUTOMATIC						
51006	6' Gro-Quick® Cable	21 Watts	0.18 AMPS	0 37841 51006 1	6	6.38
51012	12' Gro-Quick® Cable	42 Watts	0.35 AMPS	0 37841 51012 2	6	7.26
51024	24' Gro-Quick® Cable	84 Watts	0.70 AMPS	0 37841 51024 5	6	9.49
51036	36' Gro-Quick® Cable	126 Watts	1.05 AMPS	0 37841 51036 8	6	5.93
51048	48' Gro-Quick® Cable	168 Watts	1.40 AMPS	0 37841 51048 1	6	7.30
HEAVY DUTY GRO-QUICK® SOIL WARMING CABLE						
53020	20' H.D. Gro-Quick® Cable	100 Watts	0.83 AMPS	0 37841 53020 5	6	1.64
53040	40' H.D. Gro-Quick® Cable	200 Watts	1.67 AMPS	0 37841 53040 3	6	2.58
53060	60' H.D. Gro-Quick® Cable	300 Watts	2.50 AMPS	0 37841 53060 1	6	3.03
53080	80' H.D. Gro-Quick® Cable	400 Watts	3.33 AMPS	0 37841 53080 9	6	4.04
53100	100' H.D. Gro-Quick® Cable	500 Watts	4.17 AMPS	0 37841 53100 4	3	4.77
53120	120' H.D. Gro-Quick® Cable	600 Watts	5.00 AMPS	0 37841 53120 2	3	5.49
53140	140' H.D. Gro-Quick® Cable	700 Watts	5.83 AMPS	0 37841 53140 0	1	6.51
53175	175' H.D. Gro-Quick® Cable	875 Watts	7.30 AMPS	0 37841 53175 2	1	8.08
53200	200' H.D. Gro-Quick® Cable	1000 Watts	8.33 AMPS	0 37841 53200 1	1	9.26
53250	250' H.D. Gro-Quick® Cable	1200 Watts	10.00 AMPS	0 37841 53250 6	1	11.09
59600	Gro-Quick® Display include 6-6', 6-12', 6-24', 6-36', 12-48' & 1 Header Card				1	43.66



ITEM NO.	DESCRIPTION				UPC CODE	UNITS PER STD CTN	WT PER STD CTN
GRO-QUICK® SOIL WARMING CABLE - AUTOMATIC THERMOSTAT FOR USE WITH HEAVY DUTY GRO-QUICK® CABLES							
18500	Thermostat	1200 Watts	12.00 AMPS	0 37841 18500 9	1	2.64	





Fiberglass

16503 Standard 3 Inch Wide Fiberglass

Most popular fiber glass for your customer's insulation needs.

- Full ½" thickness.
- Vapor seal material included.
- Ideal for insulating hot or cold pipes
- Stops Cold water pipes from Sweating
- Prevents heat loss from hot water pipes.
- Perfect for caulking cracks

Carton contains:

- 12 rolls, ½" x 3" x 35"
- 40' of 2" wide vapor seal material also included with each package



16506 Jumbo 6 Inch Wide Fiberglass

- Jumbo size also a full ½ inch thick
- Perfect for Insulating large objects, hot water tanks, long duct work or large pipes
- Works well as a sound-deadening material
- Vapor seal included in each pack

Carton contains:

- 6 rolls, ½ inch X 6 inch x 35 feet also include with each package is
- 80 feet of 2 inch wide vapor seal material also include with each package



#16525 Pipe-Guard 3 Inch Wide Fiberglass

Pipe Guard—Fiber Glass provides a complete and economical pipe insulation protection.

- Full ½" thickness. ½ inch x 3 inch x 25 feet
- It offers high tensile strength for easy installation on hot or cold water pipes.

Carton contains:

- 24 rolls, ½ inch x 3 inch x 25 feet each
- 30 feet of vapor seal material included in each package also includes

ITEM NO.	DESCRIPTION	UPC CODE	UNITS PER STD CTN	WT PER STD CTN
16503	½" x 3" x 35' Fiberglass	0 37841 16503 2	12	5.39
16506	½" x 6" x 35' Fiberglass	0 37841 16506 3	6	5.28
16525	½" x 3" x 25' Fiberglass	0 37841 16525 4	24	7.50



16509 Vinyl-Backed 3 Inch Wide Fiberglass

Vinyl-backed fiberglass insulation eliminates the need for a separate vapor barrier, making it easier than ever to install.

- The 1 inch thick long fiber material provides excellent 3.7 R value and high tensile strength.
- No overlap required, increasing the coverage per roll 1 inch x 3 inch x 25 feet


Carton contains: 12 rolls, 1 inch x 3 inch x 25 feet



16550 Bulk Roll Fiberglass Insulation

Complete and economical pipe insulation protection.

- It offers high tensile strength for easy installation on hot or cold water pipes.
- 1 inch x 24 inch x 50 feet.



16602 Vapor Seal

- Vapor seal for insulation
- 2 inch x 40 feet



16715 Insul-Foil Pipe Insulation

- Combines heavy aluminum foil with tough PVC vinyl foam.
- Self-adhesive back. Not for use with pipe heating cables.
- 1/8 inch x 2 inch x 15 feet



16730 Insul-Foil Pipe Insulation

Combines heavy aluminum foil with tough PVC vinyl foam.

- Self-adhesive back. Not for use with pipe heating cables.
- 1/8 inch x 2 inch x 30 feet



16750 Insul-Foil Pipe Insulation

Made of heavy-duty aluminum foil, top-grade closed-cell PVC vinyl foam and self-adhesive backing for easy, one-step installation. It reduces heat loss, cuts fuel bills and makes an effective sound deadener.

NOTE: Insul-Foil Insulation is NOT FOR USE WITH PIPE HEATING CABLES. "R" = 0.45 for Insul-Foil products.

- 1/8 inch x 12 inch x 15 feet

ITEM NO.	DESCRIPTION	UPC CODE	UNITS PER STD CTN	WT PER STD CTN
16509	1" x 3" x 25' Vinyl Backed Fiberglass	0 37841 16509 4	12	10.09
16550	1" x 24" x 50' Fiberglass	0 37841 16550 6	1	7.05
16602	2" x 40' Vapor Seal	0 37841 16602 2	1	0.04
16715	1/8" x 2" x 15' Pipe Insulation	0 37841 16715 9	12	5.01
16730	1/8" x 2" x 30' Pipe Insulation	0 37841 16730 2	6	4.39
16750	1/8" x 12" x 15' Duct Insulation	0 37841 16750 0	4	9.50



Odors Away®

71000 Odors Away® ½ Oz. Dropper Bottle

Odor Eliminator Liquid

- Concentrated VOC free liquid eliminates most household odors by neutralizing the odor molecules, not just covering them up.
- In institutional use, has proven effective in controlling persistent problem odors for up to 24 hours in an average size room



73000 Odors Away® 3½ Oz. Aerosol Can

Odor Eliminator Aerosol

- Aerosol spray eliminates most household odors by neutralizing the odor molecules, not just covering them up.
- In institutional use, has proven effective in controlling persistent problem odors for up to 24 hours in an average size room

ITEM NO.	DESCRIPTION	UPC CODE	UNITS PER STD CTN	WT PER STD CTN
71000	½ oz. Bottles (24) in Counter Display - 6 Display Units of 24 each	0 37841 71000 3	144	12.09
73000	3½ fl oz. Aerosol Cans in Counter Display - 6 Displays Units of 24 each	0 37841 73000 1	144	36.31
79000	Combination Counter Display includes 2 - ½ oz. Bottles & 12 - 3½ oz. Aerosol Cans		1	4.10



#71000



#73000



#79000



Roof Guard
14600



Heavy Duty Adj. Thermostat
18700



Pre-Set Thermostat
18800



Pipe-Guard®
35100 - 35300



Heat Cable Wall Display
19150



Roof & Gutter Cable Wall Display
19900



Pipe-Guard Connector Kit
35500




Gro-Quick® Wall Display
59600



Wrap-On Straps®
38015 - 38030

ITEM NO.	DESCRIPTION	UPC CODE	UNITS PER STD CTN	WT PER STD CTN
ACCESSORIES-120VAC				
14600	Roof Sentry—Roof Cable Controller CSA Certified 1200W 10A	0 37841 14600 0	1	1.46
18700	Heavy Duty Adj. Thermostat UL Listed/CSA Certified 1800W 13A	0 37841 18700 3	1	1.64
18800	Pre-Set Thermostat UL Listed/CSA Certified 1800W 15A	0 37841 14800 0	12	2.11
UL LISTED PIPE-GUARD® SELF-REGULATING PIPE HEATING CABLE 3WATTS/120V				
35100	100' Reel Pipe-Guard® Self-Regulating Cable	0 37841 35100 8	1	4.32
35300	300' Reel Pipe-Guard® Self-Regulating Cable	0 37841 35300 2	1	12.15
35500	Connector Kit plug & lighted end cap	0 37841 35500 6	6	2.08
PIPE CABLE & ROOF & GUTTER CABLE DISPLAY ASSORTMENTS				
19150	Heat Cable Wall Display - includes 2-3', 4-6', 4-9', 4-13', 3-15', 3-18', 2-24', 2-30' & 1 header card		1	28.06
19900	Roof & Gutter Cable Wall Display - includes 1-20', 2-40', 2-60', 2-80', 1-100' & 1 header card		1	29.73
59600	Gro-Quick® Wall Display - includes 6-6', 6-12', 6-24', 6-36', 12-48' & 1 header card		1	43.66
WRAP-ON STRAPS®				
38015	Wrap-On Straps® 15 per Pkg	0 37841 38015 2	24	4.3
38030	Wrap-On Straps® 30 per Pkg	0 37841 38030 5	24	4.3

Roof Clips



ITEM NO.	DESCRIPTION	UPC CODE	UNITS PER STD CTN	WT PER STD CTN	CASE DIMENSIONS
ROOF AND GUTTER CLIPS					
14500	15 Roof Clip Spike & 8 Downspout	0 37841 14500 3	6	1.08	5.5 x 9.5 x 8.0
14502	30 Roof Clip Spike & 16 Downspout	0 37841 14502 7	6	1.86	5.5 x 9.5 x 8.0
14503	45 Roof Clip Spike & 24 Downspout	0 37841 14503 4	6	2.52	5.5 x 9.5 x 8.0
14504	60 Roof Clip Spike & 32 Downspout	0 37841 14504 1	6	3.48	5.5 x 9.5 x 8.0
14506	20 Roof Clip Spike	0 37841 14506 5	6	1.02	5.5 x 9.5 x 8.0
14505	Roof Clip Spike - Bag OF 5	0 37841 14505 8	50	1.35	5.5 x 9.5 x 8.0
14511	1000 Roof Clip Spike Bulk	0 37841 14511 9	1	5.88	9.5 x 11 x 13.5
14512	40 Roof Clip Spike	0 37841 14512 6	6	1.62	5.5 x 9.5 x 8.0
14513	60 Roof Clip Spike	0 37841 14513 3	6	2.22	5.5 x 9.5 x 8.0
SPRING ROOF CLIPS					
14515	15 Spring Roof Clip + 8 Downspout	0 37841 14515 7	6	1.08	5.5 x 9.5 x 8.0
14516	30 Spring Roof Clip + 16 Downspout	0 37841 14516 4	6	1.86	5.5 x 9.5 x 8.0
14517	45 Spring Roof Clip + 24 Downspout	0 37841 14517 1	6	2.52	5.5 x 9.5 x 8.0
14518	60 Spring Roof Clip + 32 Downspout	0 37841 14518 8	6	3.48	5.5 x 9.5 x 8.0
14519	90 Spring Roof Clip + 48 Downspout	0 37841 14519 5	6	5.04	5.5 x 9.5 x 8.0
14520	20 Spring Roof Clip	0 37841 14520 1	6	1.02	5.5 x 9.5 x 8.0
14521	40 Spring Roof Clip	0 37841 14521 8	6	1.68	5.5 x 9.5 x 8.0
14522	60 Spring Roof Clip	0 37841 14522 5	6	2.22	5.5 x 9.5 x 8.0
14523	1000 Spring Roof Clip Bulk	0 37841 14523 2	1	5.88	9.5 x 11 x 13.5
DOWNSPOUT/SPACER CLIPS					
14507	20 Downspout	0 37841 14505 8	6	1.02	5.5 x 9.5 x 8.0
14508	40 Downspout	0 37841 14508 9	6	1.68	5.5 x 9.5 x 8.0
14509	60 Downspout	0 37841 14509 6	6	2.22	5.5 x 9.5 x 8.0
14510	1000 Downspout Bulk	0 37841 14510 2	1	6.14	9.5 x 11 x 13.5
METAL ROOF CLIPS					
14526	30 Metal Roof Clip Kit (clips & Adhesive)	0 37841 14526 3	6	1.26	5.5 x 9.5 x 8.0
14527	60 Metal Roof Clip Kit (clips & Adhesive)	0 37841 14527 0	6	2.16	5.5 x 9.5 x 8.0
14528	90 Metal Roof Clip Kit (clips & Adhesive)	0 37841 14528 7	6	3.06	5.5 x 9.5 x 8.0



Standard-Spike

- Roof clips and downspout clips for re-installation or replacement



Spring

- Grips shingles/tiles with “spring” tension for minimal surface penetration



Downspout-Spacer

- Completes drip loop in gutter and spacing inside downspout



Metal

- Adhesive included – No need to drill holes during installation



The Wrap-On® Company's modern manufacturing and distribution facility in Alsip, Illinois is centrally located to efficiently service our customers in the North American market. Using local vendors and producing our cable products in-house not only shortens our response times but gives us the ability to maintain our quality at its highest level.

WRAP-ON®

11756 S. Austin Avenue, Alsip, IL 60803

Phone: 800-621-6947 / 708-496-2150

Fax: 800-558-6609

www.wrap-on.com